

REFERENCES IN “LIST OF EXTINCT BIRDS IN THE HOLOCENE”

© [Swedish Taxonomic Committee](#), BirdLife Sverige 2024

Contact: tk@birdlife.se

Adams, M. P. & Woods, R. W. 2016. Mid-Holocene Falkland Islands bird bones from a peat deposit, including a new species of caracara. *Emu* 116: 370–378.

Alarcón-Muñoz, J., Labarca, R. & Soto-Acuña, S. 2020. The late Pleistocene–early Holocene rails (Gruiformes: Rallidae) of Laguna de Tagua Tagua Formation, central Chile, with the description of a new extinct giant coot. *Journal of South American Earth Sciences* 104: e102839.

Alcover, J. A. & Florit, F. 1987. Una nueva especie de *Carduelis* (Fringillidae) de La Palma. *Vieraea* 17: 75–86.

Alcover, J. A., Pieper H., Pereira, F. & Rando, J. C. 2015. Five new extinct species of rails (Aves: Gruiformes: Rallidae) from the Macaronesian Islands (North Atlantic Ocean). *Zootaxa* 4057: 151–190.

Ameghino, F. 1891. Enumeración de las aves fósiles de la República Argentina. *Revista Argentina de Historia Natural* 1: 441–456.

Andrews, C. W. 1897. On some Fossil Remains of Carinate Birds from Central Madagascar. *Ibis* 3: 343–359.

Arredondo, O. 1958. Aves gigantes de nuestro pasado prehistorico. *El Cartero Cubano* 17: 10–12.

Arredondo, O. 1970. Nueva especie de ave pleistocénica del orden Accipitriformes (Accipitridae) y nuevo género para las Antillas. *Ciencias, series 4 (Ciencias Biológicas)* 8: 1–19.

Arredondo, O. 1971. Nuevo genero y especie de ave fósil (Accipitriformes: Vulturidae) del pleistoceno de Cuba. *Memoria de la Sociedad de Ciencias Naturales La Salle* 31: 309–323.

Arredondo, O. 1972. Nueva especie de ave fósil (Strigiformes: Tytonidae) del pleistoceno superior de Cuba. *Boletín de la Sociedad Venezolana de Ciencias Naturales* 29: 415–431.

Arredondo, O. & Arredondo, C. 2002. Nuevos género y especie de ave fósil (Falconiformes: Teratornithidae) del Pleistoceno de Cuba. *Poeyana* 470-475: 15–21.

Arredondo, O. & Arredondo, C. 2002. Nuevos género y especie de ave fósil (Falconiformes: Accipitridae) del Cuaternario de Cuba. *Poeyana* 470-475: 9–14.

Arredondo, O. & Olson, S. L. 1994. A new species of owl of the genus *Bubo* from the Pleistocene of Cuba (Aves: Strigiformes). *Proceedings of the Biological Society of Washington* 107: 436–444.

Balouet, J.-C. & Olson, S. L. 1987. A New Extinct Species of Giant Pigeon (Columbidae: *Ducula*) from Archeological Deposits on Wallis (Uvea) Island, South Pacific. *Proceedings of the Biological Society of Washington* 100: 769–775.

Balouet, J.-C. & Olson, S. L. 1989. Fossil birds from late Quaternary deposits in New Caledonia. *Smithsonian Contributions to Zoology* 469. 38 pp.

- Barnett, J. M. & Buzzetti, D. R. C. 2014. A new species of *Cichlocolaptes* Reichenbach 1853 (Furnariidae), the 'gritador-do-nordeste', an undescribed trace of the fading bird life of northeastern Brazil. *Revista Brasileira de Ornitologia* 22: 75–94.
- Bechstein, J. M. 1811. J. Latham's Allgemeine Übersicht der Vögel. Volume 4, Th. 1, p. 64, pl. 1.
- Bate, D. M. A. 1916. On a small collection of vertebrate remains from the Har Dalam cavern, Malta, with note on a new species of the genus *Cygnus*. *Proceedings of the Zoological Society of London* [1916]: 421–430.
- Van Beneden, P. J. 1875. Un oiseau fossile nouveau des cavernes de la Nouvelle-Zélande. *Annales de la Société géologique de Belgique* 2: 123–130.
- Benson, C. W. & Penny, M. J. 1968. A new species of warbler from the Aldabra Atoll. *Bulletin of the British Ornithologists' Club* 88: 102–108.
- Boast, A. P. et al. 2019. Mitochondrial genomes from New Zealand's extinct adzebills (Aves: Aptornithidae: Aptornis) support a sister-taxon relationship with the Afro-Madagascan Sarothruridae. *Diversity* 11: 24.
- Bourne, W. R. P., Ashmole, N. P. & Simmons, K. E. L. 2003. A New Subfossil Night Heron and a New Genus for the Extinct Rail for Ascension Island, Central Tropical Atlantic Ocean. *Ardea* 91: 45–51.
- Boddaert, 1783. Table des planches enluminées d'histoire naturelle de M. D'Aubenton, p. 43.
- Boessenkool, S. et al. 2008. Relict or colonizer? Extinction and range expansion of penguins in southern New Zealand. *Proceedings of the Royal Society of London, Series B: Biological Sciences* 276: 815–821.
- Brodkorb, P. 1959. Pleistocene birds from New Providence Island, Bahamas. *Bulletin of the Florida State Museum, Biological Sciences* 4: 349–371.
- Brodkorb, P. 1965. Fossil birds from Barbados, West Indies. *Journal of the Barbados Museum and Historical Society* 31: 3–10.
- Brodkorb, P. 1969. An extinct Pleistocene owl from Cuba. *Quarterly Journal of the Florida Academy of Sciences* 31: 112–114.
- Bruce, M.D., Bahr N. & David, N. 2016. Pampusanna vs. Pampusana: a nomenclatural conundrum resolved, along with associated errors and oversights. *Bulletin of the British Ornithologists' Club* 136: 86–100.
- Buller, W. L. 1887. [Description of *Aplonis mavornata*] in: *A history of the birds of New Zealand*. (2nd edition) 1: 25. Published by the author, London.
- Buller, W. 1869. On some new species of New-Zealand birds. *Ibis* 5 (new series): 37–43.
- Burckhardt, R. 1893. Über *Aepyornis*. *Palaeontologische Abhandlungen herausgegeben von W. Dames und E. Kayse* 6: 127–145.
- Cheke, A. S. & Hume, J. P. 2008. *Lost Land of the Dodo: the ecological history of the Mauritius, Reunion and Rodrigues*. T. & A. D. Poyser, London. 540 pp.

Casey, T. L. C. & Jacobi, J. D. 1974. A new genus and species of bird from the island of Maui, Hawaii (Passeriformes: Drepanididae). *Occasional Papers of the Bernice P. Bishop Museum* 24: 215–226.

Cassin, J. 1855. The 'o'o of Kauai. *The Proceedings of the Academy of Natural Sciences of Philadelphia* 7: 440.

Christidis, L. & Boles, W. E. 2008. *Systematics and Taxonomy of Australian Birds*. CSIRO Publishing, Collingwood, VIC, Australia.

Clements, J. F., Rasmussen, P. C., Schulenberg, T. S., Iliff, M. J., Fredericks, T. A., Gerbracht, J. A., Lepage, D., Spencer, A., Billerman, S. M., Sullivan, B. M. & Wood, C. 2023. *The eBird/Clements checklist of Birds of the World: v2023*.

Cory, C. B. 1886. Descriptions of thirteen new species of birds from the island of Grand Cayman. *The Auk* 3: 497–501.

Cowles, G. S. 1994. A New Genus, Three New Species and Two New Records of Extinct Holocene Birds From Réunion Island, Indian Ocean. *Géobios* 27: 87–93

Delacour, J. 1932. Les oiseaux de la mission zoologique Franco-anglo-américain à Madagascar. *Oiseau et la Revue Française d'Ornithologie* NS2: 1–96.

Des Murs, O. & Prévost, F. 1849. Voyage autour du monde sur la frégate Vénus, pp. 266–269.

Dole, S. B. 1879. List of birds of the Hawaiian Islands. Corrected for the Hawaiian Annual, with valuable additions. Pp. 41–58. in: *Hawaiian Almanac and Annual for 1879*. Thomas G. Thrum. Honolulu, USA.

Ericson, P. G. P., Irestedt, M., Zuccon, D., Larsson, P., Tison, J-L., Emslie, S. D., Götherström, A., Hume, J. P., Werdelin, L. & Qu, Y. 2022. A 14,000-year-old genome sheds light on the evolution and extinction of a Pleistocene vulture. *Communications Biology* 5: e857.

Falla, R. A. 1954. A new rail from cave deposits in the North Island of New Zealand. *Records of the Auckland Institute and Museum* 4: 241–244.

Fischer, K. 1968. Ein flugunfähiger Kranich aus dem Pleistozän von Cuba. *Monatschrift für Ornithologie und Vivarienkunde* (Ausgabe A “Der Falke”) 15: 270–271.

Fischer, K. & Stephan, B. 1971. Weitere Vogelreste aus dem Pleistozän der Pio-Domingo-Höhle in Kuba. *Wissenschaftliche Zeitschrift der Humboldt-Universität zu Berlin, Mathematisch-Naturwissenschaftliche Reihe* 20: 593–607.

Forbes, H. O. 1892, *Aphanapteryx* and other remains in the Chatham Islands. *Nature* 46: 252–253.

Forbes, H. O. 1892. Preliminary notice of additions to the extinct avifauna of New Zealand. *Transactions and Proceedings of the New Zealand Institute* 24: 185–189.

Forbes, H. O. 1892. On a recent discovery of the remains of extinct birds in New Zealand. *Nature* 45: 416–418.

Forbes, H. O. 1893. A list of the birds inhabiting the Chatham Islands. *Ibis* 5: 521–546.

Forster, J. R. 1844. *Descriptiones Animalium*. Officina Academica, Berlin.

Frohawk, F. 1892. Description of a new species of rail from Laysan Island. *Annals and Magazine of Natural History* Series 6, Volume 9: 247–249.

Forshaw, J. M. & Cooper, W. 2015. *Pigeons and Doves in Australia*. Collingwood, CSIRO Publishing, Collingwood, VIC, Australia..

Gala, M. & Lenoble, A. 2015. Evidence of the former existence of an endemic macaw in Guadeloupe, Lesser Antilles. *Journal of Ornithology* 156: 1061.

Garcia-R, J. C. & Matzke, N. J. 2021. Trait-dependent dispersal in rails (Aves: Rallidae): Historical biogeography of a cosmopolitan bird clade. *Molecular Phylogenetics and Evolution* 159: e107106.

Garnot, P. 1829. Voyage autour du monde exécuté par ordre du Roi, sur la corvette de sa majesté, la Coquille, pendant les années 1822, 1823, 1824 et 1825, vol. 1, *Zoologie*, livr. 13: 561–600. Arthus Bertrand, Paris.

Gill, F., Donsker, D. & Rasmussen, P. (eds). 2024. IOC World Bird List (v14.1). Doi: 10.14344/IOC.ML.14.1.

Geoffroy Saint-Hilaire, I. 1851. Note sur des ossements et des oeufs trouvés à Madagascar, dans des alluvions modernes, et provenant d'un oiseau gigantesque. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences* (Paris) 32: 101–107.

Gmelin, J. F. 1788. *Systema Naturae per Regna Tria Naturae, Secundum Classes, Ordines, Genera, Species, Cum Characteribus, Differentiis, Synonymis, Locis*. Editio Decima Tertia, Aucta, Reformata/ cura Jo. Frid. Gmelin. Volume 1, part 1. Lipsiae: Impensis Georg. Emanuel. Beer.

Gmelin, J. F. 1789. *Systema Naturae per Regna Tria Naturae, Secundum Classes, Ordines, Genera, Species, Cum Characteribus, Differentiis, Synonymis, Locis*. Editio Decima Tertia, Aucta, Reformata/ cura Jo. Frid. Gmelin. Volume 1, part 2. Lipsiae: Impensis Georg. Emanuel. Beer.

Goodman, S. M. 1994. Description of a new species of subfossil eagle from Madagascar: *Stephanoaetus* (Aves: Falconiformes) from the deposits of Amphasambazimba. *Proceedings of the Biological Society of Washington* 107: 421–428.

Goodman, S. M. & Ravoavy, F. 1993. Identification of bird subfossils from cave surface deposits at Anjohibe, Madagascar, with a description of a new giant Coua (Cuculidae: *Couinae*). *Proceedings of the Biological Society of Washington* 106: 24–33.

Goodman, S. M. 1996. Description of a new species of subfossil lapwing (Aves, Charadriiformes, Charadriidae, Vanellinae) from Madagascar. *Bulletin du Museum National d'Histoire Naturelle* (C) 18: 607–614.

Goodman, S. M. 2000. A description of a new species of *Brachypteracias* (family Brachypteraciidae) from the Holocene of Madagascar. *Ostrich* 71: 318–322.

Gould, J. 1836a. [“specimens of numerous *Birds* forming part of the Society's collection”]. *Proceedings of the Zoological Society of London* Part 4: 19–.

Gould, J. 1836b. ["two new species of Birds from the Friendly Islands and New Holland"]. *Proceedings of the Zoological Society of London* Part 4: 73–74.

Gould, J. 1837. *A synopsis of the birds of Australia, and the adjacent islands*. Vol. I. London: John Gould.

Gould, J. 1839. Part 3 Birds, in: Darwin, C. (ed.). 1841. *The Zoology of the voyage of H.M.S. Beagle, under the command of Captain Fitzroy, R.N., during the years 1832–1836*. Smith, Elder & Co, London, 156 pp.

Gould, J. 1845. On a New Species of *Platycerus*. *Annals and Magazine of Natural History* 15 (96): 114–115.

Gould, J. 1855. On some new species of birds collected by Mr McGillivray. *Proceedings of the Zoological Society of London* Part 23, no. 294, p. 166.

Gould, J. 1861. Description of a New Species of the Genus *Moho*, of Lesson. *Proceedings of the Zoological Society of London* Part 28 [1860]: 381.

Grealy, A., Phillips, M., Miller, G. et al. 2017. Eggshell palaeogenomics: Palaeognath evolutionary history revealed through ancient nuclear and mitochondrial DNA from Madagascan elephant bird (*Aepyornis* sp.) eggshell. *Molecular Phylogenetics and Evolution*. 109: 151–163

Gray, G. R. 1843. List of the birds hitherto recorded as found in New Zealand, Chatham and Auckland Islands, with their synonyma. Pp. 186–201 in: Dieffenbach. *Travels in New Zealand*. Vol. 2. John Murray, London.

Gray, G. R. 1844. Birds I. – *Birds of New Zealand*. Pp. 1–20. in: Richardson, J. & Gray, J. E. (eds). *The zoology of the voyage of HMS Erebus & Terror, under the command of Capt. Sir J. C. Ross . . . during . . . 1893–44. . . . Vol. I. Mammalia, Birds*. London.

Gray, G. R. 1859. Catalogue of the birds of the tropical islands of the Pacific Ocean in the collection of the British Museum. British Museum, London. 72 pp.

Griscom, L. 1929. Studies from the Dwight collection of Guatemala birds. *American Museum Novitates* 379: 1–13.

Guthrie, D. A., Thomas H. W. & Kennedy, G. L. 2002. A new species of extinct Late Pleistocene puffin (Aves: Alcidae) from the southern California Channel Islands, pp. 525–530 in: Browne, D. R., Mitchell, K. L. & Chaney, H. W. (eds): *Proceedings of the Fifth California Islands Symposium*.

Haast, J. von. 1872. Notes on *Harpagornis Moorei*, an Extinct Gigantic Bird of Prey, containing Description of Femur, Ungual Phalanges, and Rib. *Transactions and Proceedings of the New Zealand Institute* 4: 192–196.

Hamilton, A. 1893. On the fissures and caves at the Castle Rocks, Southland, with a description of the remains of the existing and extinct birds found in them. *Transactions and Proceedings of the New Zealand Institute* 25: 88–106.

Hansford, J. P. & Turvey, S. T. 2018. Unexpected diversity within the extinct elephant birds (Aves: Aepyornithidae) and a new identity for the world's largest bird. *Royal Society Open Science* 5: e181295.

- Hartlaub, G. 1866. On five new species of birds from the Feejee Islands. *Ibis* 6: 171–173.
- Hoch, E. 1977. Reflections on Prehistoric Life at Umm-an-Nar (Trucial Oman) based on Faunal Remains from the Third Millenium BC. *In: South Asian Archaeology 1977*: 589–638.
- Holdaway, R. N. & Worthy, T. H. 1994. A new fossil species of shearwater *Puffinus* from the late Quaternary of the South Island, New Zealand, and notes on the biogeography and evolution of the *Puffinus gavia* superspecies. *Emu* 94: 201–215.
- Holyoak, D. T. 1973. An undescribed extinct parrot from Mauritius. *Ibis* 115: 417–419.
- Holyoak, D. T. & Thibault, J. C. 1978. Undescribed *Acrocephalus* Warblers from Pacific Ocean Islands. *Bulletin of the British Ornithologists' Club* 98: 122–127.
- Hombron, J. & Jacquinot, H. 1841. A description of the Auckland Islands Merganser. *Annales des sciences naturelles Zoologie* 16: 320.
- Howard, H. 1935. The Rancho La Brea Wood Ibis. *Condor* 37: 251–253.
- Howard, H. 1964. A fossil owl from Santa Rosa Island, California, with comments on the eared owls of Rancho La Brea. *Bulletin of the Southern California Academy of Sciences* 63: 27–31.
- Hume, J. P. 2011. Systematics, morphology, and ecology of pigeons and doves (Aves: Columbidae) of the Mascarene Islands, with three new species. *Zootaxa* 3124: 1–62.
- Hume, J. P. 2014. Systematics, morphology, and ecological history of the Mascarene starlings (Aves: Sturnidae) with the description of a new genus and species from Mauritius. *Zootaxa* 3849: 1–75.
- Hume, J. P. 2015. A new subfossil bulbul (Aves: Passerines: Pycnonotidae) from Rodrigues Island, Mascarenes, south-western Indian Ocean. *Ostrich* 86: 247–260.
- Hume, J. P. 2019. Systematics, morphology and ecology of rails (Aves: Rallidae) of the Mascarene Islands, with one new species. *Zootaxa* 4626: 1–107
- Hume, J. P. 2011. Systematics, Morphology, and Ecology of Pigeons and Doves (Aves: Columbidae) of the Mascarene Islands, with Three New Species. *Zootaxa* 3124: 1–62
- Hume, J. P. 2017. *Extinct Birds*. Bloomsbury Natural History.
- Hume, J. P. 2022. A new subfossil ground thrush (Turdidae: *Geokichla*) from Mauritius, Mascarene Islands. *Bulletin of the British Ornithologists' Club*. 142: 388–403.
- Hutton, F. W. 1872. Notes on some birds from the Chatham Islands, collected by H. H. Travers, Esq.; with descriptions of two new species. *Ibis*: 243–250.
- Iwaniuk, A. N., Olson, S. L. & James, H. F. 2009. Extraordinary cranial specialization in a new genus of extinct duck (Aves: Anseriformes) from Kauai, Hawaiian Islands. *Zootaxa* 2296: 47–67.
- James, H. F. & Olson, S. L. 1991. Descriptions of Thirty-two New Species of Birds from the Hawaiian Islands. Part I. Non-passeriformes. *Ornithological Monographs* 45: 1–88.

James, H. F. & Olson, S. L. 2006. A new species of Hawaiian finch (Drepanidini: *Loxioides*) from Makauwahi Cave, Kauai. *Auk* 123: 335–344.

James, H. F. & Olson, S. L. 2003. A giant new species of Nukupuu (Fringillidae: Drepanidini, *Hemignathus*) from the island of Hawaii. *Auk* 120: 970–981.

James, H. F. & Olson, S. L. 2005. The diversity and biogeography of koa-finches (Drepanidini: *Rhodacanthis*), with descriptions of two new species. *Zoological Journal of the Linnean Society* 144: 527–541.

Jansen, J. J. F. J., Kamminga, P. & Argeloo, M. 2021. Taxonomic implications of the original illustrations of *Prosobonia* from Tahiti and Moorea made during the second and third Cook expeditions. *Bulletin of the British Ornithologists' Club* 141: 133–141.

Jaume, D., McMinn, M. & Alcover, J. A. 1993. Fossil birds from the Bujero del Silo, La Gomera (Canary Islands) with a description of a new species of quail (Galliformes: Phasianidae). *Boletim do Museu Municipal do Funchal*, Suplemento 2: 147–165.

Kirchman, J. J. & Steadman, D. W. 2005. Rails (Aves: Rallidae: Gallirallus) from prehistoric sites in the Kingdom of Tonga, including description of a new species. *Proceedings of the Biological Society of Washington* 118: 465–477.

Kirchman, J. J. & Steadman, D. W. 2006. Rails (Rallidae: Gallirallus) from prehistoric archaeological sites in Western Oceania. *Zootaxa* 1316: 1–31.

Kirchman, J. J. & Steadman, D. W. 2006. New species of rails (Aves: Rallidae) from an archaeological site on Huahine, Society Islands. *Pacific Science* 60: 279–295.

Kirchman, J. J. & Steadman, D. W. 2007. New species of extinct rails (Aves: Rallidae) from archaeological sites in the Marquesas Islands, French Polynesia. *Pacific Science* 61: 145–163.

Kittlitz, F. H. von. 1830. Über die Vögel der Inselgruppe von Boninsima beobachtet zu Anfang May 1828. Mémoires Présentés à l'Académie Impériale des Sciences de Saint-Pétersbourg par Divers Savans, et lus dans ses Assemblées 1: 231–248.

Kittlitz, F. H. von. 1832–33. *Kupfertafeln zur Naturgeschichte der Vögel*. Johan David Sauerländer, Frankfurt am Main.

Kittlitz, F. H. von. 1858. Denkwürdigkeiten einer Reise nach dem russischen Amerika, nach Mikronesien und durch Kamtschatka. Verlag von Justus Perthes, Gotha.

Latham, J. A. 1790. Index ornithologicus, sive systema ornithologiae; complectens avium divisionem in classes, ordines, genera, species, ipsarumque varietates: adjectis synonymis, locis, descriptionibus, &c. Leigh & Sotheby, London.

Lawrence, G. N. 1877. Descriptions of new species of birds of the families Trochilidae and Tetraonidae. *Annals of the New York Academy of Science* 1: 50–52.

Lichtenstein, M. H. K. 1839. Beitrag zur ornithologischen Fauna von Californien nebst Bemerkungen über die Artkennzeichen der Pelicane und über einige Vögel von den Sandwich-Inseln. *Abhandlungen der Königlischen Akademie der Wissenschaften zu Berlin* 1838: 417–451.

Linnaeus, C. 1758. *Systema naturæ per regna tria naturæ: secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis*. Stockholm, Sweden.

Linnaeus, C. 1766. *Systema naturæ per regna tria naturæ: secundum classes, ordines, genera, species, cum characteribus, differentiis, synonymis, locis*. Ed. 12. 1., Regnum Animale. Part 1. Holmiae [Stockholm], Laurentii Salvii. 532 pp.

Linnaeus, C. 1771. *Mantissa Planatarum altera Generum editionis VI et Specierum Editions II*; Regni animalis appendix, pp. 144–588.

Louchart, A. 2004. An extinct large thrush (Aves: Turdidae) from the Late Quaternary of Mediterranean Europe. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen* 233: 275–296.

Louchart, A., Bedetti, C. & Pavia, M. 2005. A new species of eagle (Aves: Accipitridae) close to the Steppe Eagle, from the Pleistocene of Corsica and Sardinia, France and Italy. *Palaeontographica* (A) 272: 121–148.

Lowe, P. R. & Bate, D. M. A. 1931. Struthious Remains from Northern China and Mongolia, with descriptions of *Struthio wimani*, *Struthio anderssoni* and *Struthio mongolicus*, spp. nov. with a note on remains of carinate birds. *Paleontologia Sinica* (C) 6, Fasc. 4: 1–40.

Lydekker, R. 1890. On the remains of some large extinct birds from the cavern-deposits of Malta. *Proceedings of the Zoological Society of London* 1890: 403–411.

Lydekker, R. 1891. *Catalogue of the fossil birds in the British Museum* (Natural History). Trustees of the British Museum (Natural History), London. 368 pp.

McMinn, M., Jaume, D. & Alcover, J. A. 1990. *Puffinus olsoni* n. sp., Nova espècie de baldritja recentment extingida provinent de depòsits espeològics de Fuerteventura i Lanzarote (Illes Canàries, Atlàntic Oriental). *Endins* 16: 63–71.

McMinn, M., Palmer, M. & Alcover, J. A. 2005. A new species of rail (Aves: Rallidae) from the Upper Pleistocene and Holocene of Eivissa (Pityusic Islands, western Mediterranean). *Ibis* 147: 706–716.

Merrem, 1786. *Avium rariorum et minus cognitarum Icones et Descriptiones collectae e germanicus latinae factae* 1 fasc. 1, p. 7 pl. 2.

Meyer de Schauensee, R. M. 1959. Additions to the birds of the Republic of Colombia. *Proceedings of the Academy of Natural Sciences of Philadelphia* 111: 53–75.

Millener, P. R. 1988. Contributions to New Zealand's late Quaternary avifauna. 1: *Pachyplichas*, a new genus of wren (Aves: Acanthisittidae) with two new species. *Journal of the Royal Society of New Zealand* 18: 383–406.

Millener, P. R. & Worthy, T. H. 1991. Contributions to New Zealand's late Quaternary avifauna. II: *Dendroscansor decurvirostris*, a new genus and species of wren (Aves: Acanthisittidae). *Journal of the Royal Society of New Zealand* 21: 179–200.

Miller, J. F. 1784. [Icones Animalium et Plantarum]. *Various Subjects of Natural History* pt. 9, plate 50.

- Miller, L. H. 1909. *Teratornis*, a new avian genus from Rancho La Brea. *University of California Publications, Bulletin of the Department of Geology* 5: 305–317.
- Miller, L. H. 1910. Wading birds from the Quaternary asphalt beds of Rancho La Brea. *University of California Publications, Bulletin of the Department of Geology* 5: 439–448.
- Miller, L. H. 1925. *Chendytes*, a Diving Goose from the California Pleistocene. *Condor* 27: 145–147.
- Milne-Edwards A. 1867. Mémoire sur une espèce éteinte du genre *Fulica*, qui habitait autrefois l'île Maurice. *Annales des sciences naturelles. Zoologie et paléontologie* 5: 195–220.
- Milne-Edwards, A. 1867. Mémoire sur un Psittacien fossile de l'Île Rodrigue. *Annales des sciences naturelles. Zoologie et paléontologie* 5: 145–156.
- Milne-Edwards, A. 1867–71. Recherches anatomiques et paléontologiques pour servir à l'histoire des oiseaux fossiles de la France. Victor Masson et fils, Paris. Tom. I. 1867–1868, pp. 474. Tom. II. 1869–1871, pp. 632, Atlas Tom. I. 1867–1868. Tab. 1–96. Tom. II. 1869–1871. Tab. 97–200.
- Milne-Edwards, A. 1873. Recherches sur la faune ancienne des Îles Mascareignes. *Annales des sciences naturelles. Zoologie et paléontologie* 5(19), Article 3, plate 14.
- Milne-Edwards, A. 1873. Recherches sur la Faune Ancienne de l'Île Rodrigues. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences* 77: 810–814.
- Milne-Edwards, A. & Grandidier, A. 1894. Observations sur les Aepyornis de Madagascar. *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences* 118: 122–127.
- Milne-Edwards, A. & Grandidier, A. 1895. Sur des ossements d'Oiseaux provenant des Terrains récents de Madagascar. *Bulletin du Muséum d'Histoire Naturelle*, Paris 1: 9–11.
- Mourer-Chauviré, C. & Weesie, P. D. M. 1986. *Bubo insularis* n. sp., forme endémique insulaire de grand-duc (Aves, Strigiformes) du pleistocene de Sardaigne et de Corse. *Revue de Paléobiologie* 5: 197–205.
- Mourer-Chauviré, C., Bour, R., Moutou, F. & Ribes, S. 1994. *Mascarenotus* nov. gen. (Aves, Strigiformes), genre endémique éteint des Mascareignes et *M. grucheti* n. sp. espèce éteinte de la Réunion. *Comptes Rendus de l'Académie des Sciences Paris* 318: 1699–1706.
- Mourer-Chauviré, C., Bour, R., Ribes, S. & Moutou, F. 1999. The Avifauna of Réunion Island (Mascarene Islands) at the Time of the Arrival of the First Europeans. *in: Avian Paleontology at the Close of the 20th Century: Proceedings of the 4th International Meeting of the Society of Avian Paleontology and Evolution*, Washington, D.C., 4–7 June 1996. *Smithsonian Contributions to Paleobiology* 89: 1–38
- Mourer-Chauviré, C., Salotti, M., Pereira, M., Quinif, Y., Courtois, J.-Y., Dubois, J.-N. & La Milz. 1997. *Athene angelis* n. sp. (Aves, Strigiformes) nouvelle espèce endémique insulaire éteinte du Pléistocène moyen et supérieur de Corse (France). *Comptes Rendus de l'Académie des Sciences* (Paris) 324, sér. 2a: 677–684.
- Murphy, R. C. & Mathews, G. M. 1928. Birds collected during the Whitney South Sea Expedition. V. *American Museum Novitates* 337: 1–18.

- Newton, E. 1867. Descriptions of some new species of birds from the Seychelles Islands. *Proceedings of the Zoological Society of London* [1867]: 344–347.
- Newton, A. 1872. On an undescribed bird from the island of Rodrigues. *Ibis* Ser. 3, No. 2: 30–34.
- Newton, A. 1894. On a new species of *Drepanis* discovered by Mr. R. C. L. Perkins. *Proceedings of the Zoological Society of London* [1893]: 690.
- Oliver, W. R. B. 1949. The moas of New Zealand and Australia. *Dominion Museum Bulletin* No. 15. Dominion Museum, Wellington. 206 pp.
- Oliver, W. R. B. 1955. *New Zealand Birds* (2nd edition). Reed, A. H & A. W., Wellington (1974 Reprint). 661 pp. [Fossil birds pp. 565–606]
- Olson, S. L. 1973. Evolution of the Rails of the South Atlantic Islands (Aves: Rallidae). *Smithsonian Contributions to Zoology* Nr 152: 1–53.
- Olson, S. L. 1974. A New Species of *Nesotrochis* from Hispaniola, With Notes on Other Fossil Rails from the West Indies (Aves: Rallidae). *Proceedings of the Biological Society of Washington* 87: 439–450.
- Olson, S. L. 1975. Paleornithology of St. Helena Island, South Atlantic Ocean. *Smithsonian Contributions to Paleobiology* 23. 49 pp.
- Olson, S. L. 1976. A New Species of *Milvago* from Hispaniola, with Notes on Other Fossil Caracaras from the West Indies (Aves: Falconidae). *Proceedings of the Biological Society of Washington* 88: 355–366.
- Olson, S. L. 1977. Notes on Subfossil Anatidae from New Zealand, Including a New Species of Pink-eared Duck (*Malacorhynchus*). *Emu* 77: 132–135.
- Olson, S. L. 1982. A New Species of Palm Swift (*Tachornis*: Apodidae) from the Pleistocene of Puerto Rico. *Auk* 99: 230–235.
- Olson, S. L. 1985. A New Species of *Siphonorhis* from Quaternary Cave Deposits in Cuba (Aves: Caprimulgidae). *Proceedings of the Biological Society of Washington* 98: 526–532.
- Olson, S. L. 2008. A New Species of Large, Terrestrial Caracara from Holocene Deposits in Southern Jamaica (Aves: Falconidae). *Journal of Raptor Research* 42: 265–272.
- Olson, S. L. 2008. A New Genus and Species of Buteonine Hawk from Quaternary Deposits in Bermuda (Aves: Accipitridae). *Proceedings of the Biological Society of Washington* 121: 130–141.
- Olson, S. L. 2012. A New Species of Small Owl of the Genus *Aegolius* (Aves: Strigidae) from the Quaternary Deposits of Bermuda. *Proceedings of the Biological Society of Washington* 125: 97–105.
- Olson, S. L. 2013. Fossil woodpeckers from Bermuda with the description of a new species of *Colaptes* (Aves: Picidae). *Proceedings of the Biological Society of Washington* 126: 17–24.
- Olson, S. L. & Jouventin, P. 1996. A New Species of Small Flightless Duck from Amsterdam Island, Southern Indian Ocean (Anatidae: *Anas*). *The Condor* 98: 1–9

Olson, S. L. & McKittrick, M. C. 1982. A New Genus and Species of Emberizine Finch from Pleistocene Cave Deposits in Puerto Rico (Aves: Passeriformes). *Journal of Vertebrate Paleontology* 1: 279–283.

Olson, S. L. & Steadman, D. W. 1977. A New Genus of Flightless Ibis (Threskiornithidae) and Other Fossil Birds from Cave Deposits in Jamaica. *Proceedings of the Biological Society of Washington* 90: 447–457.

Olson, S. L. & Wetmore, A. 1976. Preliminary Diagnoses of Two Extraordinary New Genera of Birds from Pleistocene Deposits in the Hawaiian Islands. *Proceedings of the Biological Society of Washington* 89: 247–258.

Olson, S. L. & Wingate, D. B. 2006. A New Species of Night-heron (Ardeidae: *Nyctanassa*) from Quaternary Deposits on Bermuda. *Proceedings of the Biological Society of Washington* 119: 326–337

Olson, S. L. & Wingate, D. B. 2012. A new species of towhee (Aves: Emberizidae: *Pipilo*) from Quaternary deposits on Bermuda. *Proceedings of the Biological Society of Washington* 125: 85–96.

Ornithological Society of New Zealand (OSNZ) Checklist Committee. 2022. *Checklist of the Birds of New Zealand* (5th edition).

Oswald, J. A., Terrill, R. S., Stucky, B. J., LeFebvre, M. J., Steadman, D. W., Guralnick, R. P. & Allen, J. M. 2021. Ancient DNA from the extinct Haitian cave-rail (*Nesotrochis steganinos*) suggests a biogeographic connection between the Caribbean and Old World. *Biology Letters* 17: e20200760.

Oustalet, E. 1881. Observations sur divers oiseaux de l'Asie et de la Nouvelle-Guinée. *Bulletin de Sciences de Société de Philomatique, Paris* 7 (5): 71–80.

Owen, R. 1843. On *Dinornis Novae-Zelandiae*. *Proceedings of the Zoological Society of London* Part 11: 8–10.

Owen, R. 1844. On *Dinornis*, an extinct genus of tridactyle Struthious birds, with descriptions of portions of the skeleton of five species which formerly existed in New Zealand. (Part I) *Transactions of the Zoological Society of London* 3: 235–275.

Owen, R. 1846. (On the *Dinornis* (Part II), descriptive of parts of the skeleton transmitted from New Zealand since the reading of Part I). *Proceedings of the Zoological Society of London* Part 14: 46–49.

Owen, R. 1848. On the remains of the gigantic and presumed extinct wingless or terrestrial birds of New Zealand (*Dinornis* and *Palapteryx*), with indication of two other genera (*Notornis* and *Nestor*). *Proceedings of the Zoological Society of London* Part 16: 1–11.

Owen, R. 1848. On *Dinornis* (Part III): Containing a Description of the Skull and Beak of the Genus, and of the Same Characteristic Parts of *Palapteryx*, and of Two Other Genera of Birds, *Notornis* and *Nestor*, Forming Part of an Extensive Series of Ornithic Remains Discovered by Mr. Walter Mantell at Waingongoro, North Island of New Zealand. *Transactions of the Zoological Society of London* 3: 345–378.

Owen, R. 1856. On *Dinornis* (Part VI): containing a description of the bones of the leg of *Dinornis* (*Palapteryx*) struthioides and of *Dinornis gracilis*, Owen. *Transactions of the Zoological Society of London* 4: 141–147.

Owen, R. 1866. On *Dinornis* (Part X): Containing a description of part of the skeleton of a flightless bird indicative of a new genus and species (*Cnemiornis calcitrans*, Ow.). *Transactions of the Zoological Society of London* 5: 395–404.

Owen, R. 1866. Evidence of a Species, perhaps extinct, of large Parrot *Psittacus mauritianus*, Owen), contemporary with the Dodo, in the Island of Mauritius.. *Ibis* Ser. 2, 8: 168–171.

Owen, R. 1871. On *Dinornis* (Part XV): containing a description of the skull, femur, tibia, fibula and metatarsus of *Aptornis defossor*, OWEN, from near Oamaru, Middle Island, New Zealand, with additional observations on *Aptornis otidiformis*, on *Notornis mantellii*, and on *Dinornis curtus*. *Transactions of the Zoological Society of London* 7: 353–380, plates XL–XLIV.

Owen, R. 1883. On *Dinornis* (Part XXIV): containing a description of the Head and Feet, with their dried Integument, of an Individual of the Species *Dinornis didinus* OWEN. *Transactions of the Zoological Society of London* 11: 257–261. Tab. LIX–LXI.

Pallas, P. S. 1811. [description of *Phalacrocorax perspicillatus*]. *Zoögraphia Rosso-Asiatica* 2: 305.

Parker, W. K. 1865. Preliminary notes on some fossil birds from the Zebbug Cave, Malta. *Proceedings of the Zoological Society of London* [1865]: 752–753.

Peale, 1849. Narrative of the United States Exploring Expedition during the years 1838, 1839, 1840, 1841, 1842 under the command of Charles Wilkes, U. S. N. Vol. VIII: *Mammalia and ornithology* (1st ed.), p. 147.

Pereira, S. L., Johnson, K. P. , Clayton, D. H. & Baker, A. J. 2007. Mitochondrial and nuclear DNA sequences support a Cretaceous origin of Columbiformes and a dispersal-driven radiation in the Paleogene. *Systematic Biology* 56: 656–672.

Perkins, R. C. L. 1919. On a new genus and species of bird of the family Drepanididae from the Hawaiian islands. *Annals and Magazine of Natural History Series 9*, Volume 3: 250–252.

De Pietri, V. L., Worthy, T. H., Scofield, R. P., Cole, T. L., Wood, J. R., Mitchell, K. J., Cibois, A., Jansen, J. J. F. J., Cooper, A. J., Feng, S., Chen, W., Tennyson, A. J. & Wragg, G. M. 2021. A new extinct species of Polynesian sandpiper (Charadriiformes: Scolopacidae: *Prosobonia*) from Henderson Island, Pitcairn Group, and the phylogenetic relationships of *Prosobonia*. *Zoological Journal of the Linnean Society* 192: 1045–1070.

Poplin, F. 1980. *Sylviornis neocaledoniae* n. g., n. sp. (Aves), ratite éteint de la Nouvelle-Calédonie. *Comptes Rendus des Séances de l'Académie des Sciences, Serie D: Sciences Naturelles* 290: 691–694.

Purdie, A. C. 1871. On a (supposed) new species of Bittern from the Lake District. *Proceedings of the New Zealand Institute* 3: 99–100.

Quoy, M. M. & Gaimard, P. 1830. *Voyage de la corvette l'Astrolabe exécuté par ordre du roi, pendant 1826–1827–1828–1829* 1: 202–203. J. Tastu, Paris.

Ramsay, E. P. 1878. On two new species of *Gerygone*. *Proceedings of the Linnean Society of New South Wales* 3: 116–118.

- Ramsay, E. P. 1882. Description of two new birds from the Solomon Islands. *Proceedings of the Linnaean Society of New South Wales* 7: 299–301.
- Rando, J. C., Alcover, J. A., Olson, S. L. & Pieper, H. 2013. A new species of extinct scops owl (Aves: Strigiformes: Strigidae: *Otus*) from São Miguel Island (Azores Archipelago, North Atlantic Ocean). *Zootaxa* 3647: 343–357.
- Rando, J. C., Lopez, M. & Segui, B. 1999. A new species of extinct flightless passerine (Emberizidae: *Emberiza*) from the Canary Islands. *Condor* 101: 1–13.
- Rando, J. C., Alcover, J. A. & Illera, J. C. 2010. Disentangling Ancient Interactions: A New Extinct Passerine Provides Insights on Character Displacement among Extinct and Extant Island Finches. *PLoS ONE* 5: e12956.
- Rando, J. C., Alcover, J. A., Pieper, H., Olson, S. L., Nayra Hernández, C. & López-Jurado, L. F. 2019. Unforeseen diversity of quails (Galliformes: Phasianidae: *Coturnix*) in oceanic islands provided by the fossil record of Macaronesia. *Zoological Journal of the Linnean Society* 188: 1296–1317.
- Rando, J. C., Pieper, H., Alcover, J. A. & Olson, S. L. 2012. A new species of extinct fossil scops owl (Aves: Strigiformes: Strigidae: *Otus*) from the Archipelago of Madeira (North Atlantic Ocean). *Zootaxa* 3182: 29–42.
- Rando, J. C., Pieper, H., Olson, Storrs L., Pereira, F. & Alcover, J. A. 2017. A new extinct species of large bullfinch (Aves: Fringillidae: *Pyrrhula*) from Graciosa Island (Azores, North Atlantic Ocean). *Zootaxa* 4282: 567–583.
- Rawlence, N. J., Kardamaki, A., Easton, L. J., Tennyson, A. J. D., Scofield, R. P. & Waters, J. M. 2017. Ancient DNA and morphometric analysis reveal extinction and replacement of New Zealand's unique black swans. *Proceedings of the Royal Society B: Biological Sciences* 284: e20170876.
- Rawlence, N. J., Till, Charlotte E., Easton, L. J., Spencer, H. G., Schuckard, R., Melville, D. S., Scofield, R. P., Tennyson, A. J.D., Rayner, M. J., Waters, J. M. & Kennedy, M. 2017. Speciation, range contraction and extinction in the endemic New Zealand King Shag complex. *Molecular Phylogenetics and Evolution* 115: 197–209.
- Ridgway, R. 1876. Studies of the American Falconidae. Monograph of the Polybori. *Bulletin of the United States Geological and Geographical Survey of the Territories* 1: 451–473.
- Rigal, S., Kirch, P. V. & Worthy, T. H. 2018. New prehistoric avifaunas from the Gambier Group, French Polynesia. *Palaeontologia Electronica* 21: 21.3.4A.
- Rothschild, W. 1892. Descriptions of Seven new Species of Birds from the Sandwich Islands. *Annals and Magazine of Natural History Series 6, Volume 10*: 108–112.
- Rothschild, W. 1893a. [“the description of a new species of *Hemignathus* from the island of Lanai in the Sandwich group”]. *Bulletin of the British Ornithologists' Club* 1(5): 24–25.
- Rothschild, W. 1893b. [“three new birds ... in the Sandwich Islands”]. *Bulletin of the British Ornithologists' Club* 1(8): 41–42.
- Rothschild, W. 1893c. [No title]. *Bulletin of the British Ornithologists' Club* 1(10): 56.

Rothschild, W. 1894. ["description of a new genus and species of bird from New Zealand"]. *Bulletin of the British Ornithologists' Club* 4(22): 10–11.

Rothschild, W. 1903. ["a new species of Rail"]. *Bulletin of the British Ornithologists' Club* 13(99): 78.

Rothschild, W. 1904. ["a remarkable new Pigeon"]. *Bulletin of the British Ornithologists' Club* 14: 77–78.

Rothschild, W. 1907. *Extinct birds. An attempt to unite in one volume a short account of those birds which have become extinct in historical times – that is within the last six or seven hundred years To which are added a few which still exist, but are on the verge of extinction*. Hutchinson, London, 244 pp.

Rothschild, W. 1921. ["a new subspecies of "Snipe" from the New Zealand subregion"]. *Bulletin of the British Ornithologist's Club* 41: 63.

Salvador, R. B., Anderson, A. & Tennyson, A. J. D. 2021. An extinct new rail (Gallirallus, Aves: Rallidae) species from Rapa Island, French Polynesia. *Taxonomy* 1: 448–457.

Salvadori, T. 1891. Descriptions of two new species of parrots of the genus *Cyanoramphus* in the British Museum. *Annals and Magazine of Natural History Series* 6, Volume 7: 68.

Scarlett, R. J. 1953. A Sub-fossil Hawk from New Zealand. *Records of the Canterbury Museum* 6: 245–252.

Scarlett, R. J. 1955. A New Rail from South Island Swamps in New Zealand. *Records of the Canterbury Museum* 6: 265–266.

Scarlett, R. J. 1968. An owlet nightjar from New Zealand. *Notornis* 15: 254–256.

Sclater, P. L. 1861. [No title]. *Proceedings of the Zoological Society of London* [1861]: 209, 260–263.

Schlegel, H. 1866. [No title]. *Nederlandsch Tijdschrift voor de Dierkunde* 3: 190.

Scopoli, J. A. 1786–1788. *Deliciae Florae et Faunae insubricae seu Novae, aut minus cognitae species Plantarum et Animalium quas in Insubria Austriaca*. Monasterii S. Salvatoris, Ticini.

de Selys-Longchamps, E. 1848. Résumé concernant les oiseaux brévipennes mentionnés dans l'ouvrage de M. Strickland sur le Dodo. *Revue Zoologique, par la Société Cuvierienne* 11: 292–295.

Sharpe, R. B. 1906. A note on the White-winged Sandpiper. *Bulletin of the British Ornithologists' Club* 16: 86.

Slater, H. H. 1879. The Extinct Birds of Rodriguez. *Philosophical Transactions of the Royal Society* 168: 423–437.

de Souancé, C. 1856. Travaux inédits: catalogue des perroquets de la collection du Prince Masséna, duc de Rivoli et observations sur quelques espèces nouvelles ou peu connues de Psittacides. *Revue et magasin de zoologie pure et appliquée* 8: 56–64, 152–158, 208–226.

Sorenson, M. D., Cooper, A., Paxinos, E. E., Quinn, T. W., James, H. F., Olson, S. L. & Fleischer, R. 1999. Relationships of the extinct moa-nalos, flightless Hawaiian waterfowl, based on ancient DNA. *Proceedings of the Royal Society of London Series B: Biological Sciences*. 266 (1434): 2187–2193.

Sparrman, A. 1787. [no title]. *Museum Carlsonianum, in quo novas et selectas aves, coloribus ad vivum brevique descriptione illustratas, suasu et sumtibus generosissimi possessoris* 2: plate 45.

Steadman, D. W. 1987. Two new species of rails (Aves: Rallidae) from Mangaia, Southern Cook Islands. *Pacific Science* 40: 27–43.

Steadman, D. W. 1988. A new species of *Porphyrio* (Aves: Rallidae) from archaeological sites in the Marquesas Islands. *Proceedings of the Biological Society of Washington* 101: 162–170.

Steadman, D. W. 1989. A new species of Starling (Sturnidae, *Aplonis*) from an Archaeological site on Huahine, Society Islands. *Notornis* 36: 161–169.

Steadman, D. W. 1989. New species and records of birds (Aves: Megapodidae, Columbidae) from an Archaeological site on Lifuka, Tonga. *Proceedings of the Biological Society of Washington* 102: 537–552.

Steadman, D. W. 1992. New Species of *Gallicolumba* and *Macropygia* (Aves: Columbidae) from Archaeological Sites in Polynesia. Pp. 329–350 in: Campbell, K. E., Jr. (ed.): *Papers in Avian Paleontology honoring Pierce Brodkorb* (Natural History Museum of Los Angeles County, Science Series No. 36).

Steadman, D. W. 2005. A new species of extinct parrot (Psittacidae: *Eclectus*) from Tonga and Vanuatu, South Pacific. *Pacific Science* 60: 137–145.

Steadman, D. W. 2006. A new species of extinct tooth-billed pigeon (*Didunculus*) from the Kingdom of Tonga, and the concept of endemism in insular landbirds. *Journal of Zoology* 268: 233–241.

Steadman, D. W. 2002. A new species of swiftlet (Aves, Apodidae) from the late Quaternary of Mangaia, Cook Islands, Oceania. *Journal of Vertebrate Paleontology* 22: 326–331.

Steadman, D. W. 2002. A new species of gull (Laridae, *Larus*) from an archaeological site on Huahine, Society Islands. *Proceedings of the Biological Society of Washington* 115: 1–17.

Steadman, D. W. 2006. A New Species of Extinct Parrot (Psittacidae: *Eclectus*) from Tonga and Vanuatu, South Pacific. *Pacific Science* 60: 137–145.

Steadman, D. W. & Morgan, G. S. 1985. A New Species of Bullfinch (Aves, Emberizidae) from a late quaternary cave deposit on Cayman Brac, West Indies. *Proceedings of the Biological Society of Washington* 98: 544–553.

Steadman, D. W., Morris J. R. & Wright, N. A. 2013. A New Species of Late Pleistocene Rail (Aves: Rallidae) from Abaco, the Bahamas. *Paleontological Journal* 47: 1355–1364.

Steadman, D. W. & Takano, O. M. 2016. A new extinct species of Snipe (Aves: Scolopacidae: *Gallinago*) from the West Indies. *Zootaxa* 4109: 345–358.

Steadman, D. W. & Takano, O. M. 2020. A new genus and species of pigeon (Aves, Columbidae) from the Kingdom of Tonga, with an evaluation of hindlimb osteology of columbids from Oceania. *Zootaxa* 4810: 401.

Steadman, D. W., Worthy, T. H., Anderson, A. J. & Walter, R. 2000. New species and records of birds from prehistoric sites on Niue, Southwest Pacific. *Wilson Bulletin* 112: 165–186.

Steadman, D. W. & Zarriello, M. C. 1987. Two new species of parrots (Aves: Psittacidae) from archeological sites in the Marquesas Islands. *Proceedings of the Biological Society of Washington* 100: 518–528.

Stejneger, L. 1887. Description of a new species of fruit-pigeon *Janthoenas jouyi* from the Lui Kiu Islands, Japan. *American Naturalist* 21: 538–539.

Stejneger, L. H. 1887. Birds of Kauai Island, Hawaiian Archipelago, collected by Mr. Valdemar Knudsen, with descriptions of new species. *Proceedings of the United States National Museum* 10: 75–102.

Suárez, W. 2020. The fossil avifauna of the tar seeps Las Breas de San Felipe, Matanzas, Cuba. *Zootaxa* 4780: 1–53.

Suárez, W. 2020. Remarks on extinct giant owls (Strigidae) from Cuba, with description of a new species of *Ornimegalonyx* Arredondo. *Bulletin of the British Ornithologists' Club* 140: 38–392.

Suárez, W. & Olson, S. L. 2020. Systematics and distribution of the living and fossil small barn owls of the West Indies (Aves: Strigiformes: Tytonidae). *Zootaxa* 4830: 544–564.

Suárez, W. & Olson, S. L. 2001. A remarkable new species of small falcon from the Quaternary of Cuba (Aves: Falconidae: *Falco*). *Proceedings of the Biological Society of Washington* 114: 34–41.

Suárez, W. & Olson, S. L. 2003. A new species of caracara (*Milvago*) from Quaternary asphalt deposits in Cuba, with notes on new material of *Caracara creightoni* Brodkorb (Aves: Falconidae). *Proceedings of the Biological Society of Washington* 116: 301–307.

Suárez, W. & Olson, S. L. 2015. Systematics and distribution of the giant fossil barn owls of the West Indies (Aves: Strigiformes: Tytonidae). *Zootaxa* 4020: 533–553.

Suárez, W. & Olson, S. L. 2021. A new fossil raptor (Accipitridae: *Buteogallus*) from Quaternary cave deposits in Cuba and Hispaniola, West Indies. *Bulletin of the British Ornithologists' Club* 141: 256–266.

Swainson, W. 1827. A synopsis of birds discovered in Mexico by W. Bullock FLS and HS, and Mr. William Bullock, jun. *Philosophical Magazine Series* 1: 364–369, 433–442.

Taka-Tsukasa, N. & Yamashina, Y. 1931. パラオ及びマリアナ群島に産する數種の新しき鳥 [Several new species of birds from Palau and the Mariana Islands.] (English, Japanese) *Zoological Magazine* 43: 484–487.

Takano, O. M. & Steadman, D. W. 2015. A new species of Woodcock (Aves: Scolopacidae: *Scolopax*) from Hispaniola, West Indies. *Zootaxa* 4032: 117–126.

Temminck, C. J. 1827: [description of *Coua delalandei*]. *Nouveau recueil de planches coloriées d'oiseaux, pour servir de suite et de complément aux planches enluminées de Buffon* 74: plate 440. F. G. Levrault, Paris.

Tennyson, A. J. D., Cooper, J. H. & Shepherd, L. D. 2015. A new species of *Pterodroma* petrel (Procellariiformes: Procellariidae) from the Chatham Islands, New Zealand. *Bulletin of the British Ornithologists' Club* 135: 267–277.

Teixeira, D. M. & Gonzaga, L. P. 1983. Um novo Furnariidae do nordeste do Brasil: *Philydor novaesi* sp. nov. *Boletim do Museu Paraense Emílio Goeldi* 124: 1–22.

Thibault, J.-C. & Cibois, A. 2017. *Birds of Eastern Polynesia: A biogeographic atlas*. Lynx Edicions, Barcelona.

Van Tets, G. F. 1994. An extinct new species of cormorant (Phalacrocoracidae, Aves) from a Western Australian peat swamp. *Records of the South Australian Museum* 27: 135–138.

Tyrberg, T. 2009. Holocene avian extinctions. Pp. 63–106 in: Turvey, Samuel T. (ed.). *Holocene Extinctions*. Oxford, UK & New York, USA: Oxford University Press. xii + 352 pp.

Vigors, N. A. 1829. On some species of Birds from the North-west Coast of America. *Zoological Journal* 4: 352–358.

Wagler, J. G. 1832. *Monographia Psittacorum*. Abhandlungen der mathematisch-physikalischen Classe, Königlich-Bayerische Akademie der Wissenschaften 1: 463–750.

Walker, C. A., Wragg, G. M. & Harrison, C. J. O. 1990. A new Shearwater from the Pleistocene of the Canary Islands and its bearing on the evolution of certain *Puffinus* shearwaters. *Historical Biology* 3: 203–224.

Walters, M. P. 1991. *Prosobonia ellisi*, an extinct species of sandpiper from Moorea, Society Islands. *Bollettino di Museo Regionale di Scienze Naturali Torino* 9: 217–226.

Weesie, P. D. M. 1982. A Pleistocene endemic island form within the genus *Athene*: *Athene cretensis* n. sp. (Aves, Strigiformes) from Crete. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, Series B* 85: 323–336.

Welch, A. J., Olson, S. L. & Fleischer, R. C. 2014. Phylogenetic relationships of the extinct St Helena petrel, *Pterodroma rupinarum* Olson, 1975 (Procellariiformes: Procellariidae), based on ancient DNA. *Zoological Journal of the Linnean Society* 170: 494–505.

Wetmore, A. 1918. Bones of Birds Collected by Theodoor de Booy from Kitchen Midden Deposits in the Islands of St. Thomas and St. Croix. *Proceedings of the United States National Museum* 54 (2245): 513–522.

Wetmore, A. 1920. Five New Species of Birds from Cave Deposits in Porto Rico. *Proceedings of the Biological Society of Washington* 33: 77–82.

Wetmore, A. 1922. Remains of Birds from Caves in the Republic of Haiti. *Smithsonian Miscellaneous Collections* 74: 1–4.

Wetmore, A. 1937. Bird Remains from Cave Deposits on Great Exuma Island in the Bahamas. *Bulletin of the Museum of Comparative Zoology* 80: 427–441.

Wetmore, A. 1937. Ancient records of birds from the island of St. Croix with observations on extinct and living birds of Puerto Rico. *Journal of Agriculture of the University of Puerto Rico* 21: 5–16.

Wetmore, A. 1963. An Extinct Rail from the Island of St. Helena. *Ibis* 103b: 379–381.

White, J. 1790. *Journal of a voyage to New South Wales with sixty-five plates of non descript animals, birds, lizards, serpents, curious cones of trees and other natural productions*. J. Debrett, London.

Williams, M., Tennyson, A. J. D. & Sim, D. 2014. Island differentiation of New Zealand's extinct mergansers (Anatidae: Mergini), with description of a new species from Chatham Island. *Wildfowl* 64: 3–34.

Wilson, S. B. 1889. On three undescribed species of the genus *Hemignathus* Lichtenstein. *Annals and Magazine of Natural History* Series 6, Volume 4: 400–402.

Wilson, S. 1889. Descriptions of some new Species of Sandwich-Island Birds. *Proceedings of the Zoological Society of London* [1889]: 445–447.

Wood, J. R., Mitchell, K. J., Scofield, R. P., Tennyson, A. J. D., Fidler, A. E., Wilmshurst, J. M., Llamas, B. & Cooper, A. 2014. An extinct nestorid parrot (Aves, Psittaciformes, Nestoridae) from the Chatham Islands, New Zealand. *Zoological Journal of the Linnean Society* 172: 185–199.

Worthy, T. H. 2000. The fossil megapodes (Aves: Megapodiidae) of Fiji with descriptions of a new genus and two new species. *Journal of the Royal Society of New Zealand* 30: 337–364.

Worthy, T. H. 2001. A giant flightless pigeon gen. et sp. nov. and a new species of *Ducula* (Aves: Columbidae), from Quaternary deposits in Fiji. *Journal of the Royal Society of New Zealand* 31: 763–794.

Worthy, T. H. 2003. A new extinct species of snipe *Coenocorypha* from Vitilevu, Fiji. *Bulletin of the British Ornithologists' Club* 123: 90–103.

Worthy, T. H. 2004. The fossil rails (Aves: Rallidae) of Fiji with descriptions of a new genus and species. *Journal of the Royal Society of New Zealand* 34: 295–314.

Worthy, T. H. 2005. A new species of *Oxyura* (Aves: Anatidae) from the New Zealand Holocene. *Memoirs of the Queensland Museum* 51: 259–275.

Worthy, T. H. & Bollt, R. 2011. Prehistoric Birds and Bats from the Atiahara Site, Tubuai, Austral Islands, East Polynesia. *Pacific Science* 65: 69–85.

Worthy, T. H. & Burley, D. V. 2020. Prehistoric avifaunas from the Kingdom of Tonga. *Zoological Journal of the Linnean Society* 189: 998–1045.

Worthy, T. H., Hawkins, S., Bedford, S. & Spriggs, M. 2015. Avifauna from the Teouma Lapita Site, Efate Island, Vanuatu, including a New Genus and Species of Megapode. *Pacific Science* 69: 205–254.

Worthy, T. H. & Wragg, G. M. 2003. A new species of *Gallicolumba*: Columbidae from Henderson Island, Pitcairn Group. *Journal of the Royal Society of New Zealand* 33: 769–793.

Worthy, T. H. & Wragg, G. M. 2008. A new genus and species of pigeon (Aves: Columbidae) from Henderson Island, Pitcairn Group. *Terra Australis* 29: 499–510.

Worthy, T. H., Anderson, A. & Sand, C. 2013. An extinct Austral snipe (Aves: *Coenocorypha*) from New Caledonia. *Emu* 113: 383–393.

Worthy, T. H., Mitri, M., Handley, W., Lee, M., Anderson, A. & Sand, C. 2016. Osteology supports a steam-galliform affinity for the giant extinct flightless birds *Sylviornis neocaledoniae* (Sylviornithidae, Galloanseres). *PLoS One* 11: e0150871.

Wragg, G. M. & Worthy, T. H. 2006. A new species of extinct imperial pigeon (*Ducula*: Columbidae) from Henderson Island, Pitcairn Group. *Historical Biology* 18: 127–140.

Yamashina, Y. 1942. A new subspecies of *Conopoderas luscini*a from the Mariana Islands. *Bulletin of the Biogeographical Society of Japan* 12: 81–83.

Zuccon, D., Prŷs-Jones, R., Rasmussen, P. C. & Ericson, P. G. P. 2012. The phylogenetic relationships and generic limits of finches (Fringillidae). *Molecular Phylogenetics and Evolution* 62: 581–596.